

INTERIOR DOOR

collections

BROUGHT TO YOU BY:



 *Masonite*[®]
the beautiful door[™]

WE ARE



Whether you prefer the traditional appeal of Masonite Classics™, the authentic styling of Masonite Select™ or the distinct lines of Masonite Expo™, we make it easy to find your perfect door. It is all part of our commitment to creating quality products that enhance the beauty and functionality of your home.

Interior Doors at a Glance p4

Safe 'N Sound®
Solid Core Doors p6

Moulded Doors p8

Commercial Doors p18

Flush Series p19

Barn Door Hardware p20

Eco-Friendly Engineered
Doors p21

Design & Size Options p22

masonite
EXPO™ p8

Heritage® Series
West End Collection®
Palazzo Series®



ARTISTIC | CONTEMPORARY | SLEEK

SELECT™ masonite p14

Cheyenne®
Riverside®
Saddlebrook®



AUTHENTIC | DIVERSE | STYLISH



Classics™ masonite p16

Moulded Panel Series



ELEGANT | TRADITIONAL | TIMELESS

Masonite®

Interior Doors at a Glance

masonite™
EXPO

ARTISTIC
CONTEMPORARY
SLEEK

HERITAGE® SERIES

WEST END COLLECTION®

PALAZZO SERIES®



Combines the classic lines of a wood shaker door with the durability of moulded panel engineering



Lincoln Park™
Logan™
Winslow™

Embossed lines and minimalist designs that add sophistication & bold style through understatement



Berkley™
Hamel™
Melrose™

High-definition panels with deep, rich embossments and raised moulding impart an air of elegance to any space



Bellagio™
Capri™
Treviso™



Decorate with Doors

Add Color to Your Home
with Masonite Moulded Doors



CHEYENNE[®] | RIVERSIDE[®] | SADDLEBROOK[®]



TRADITIONAL MOULDED PANEL

Feature lines distinguish
the architectural
correctness of authentic
stile & rail wood doors



Cheyenne[®]
Riverside[®]
Saddlebrook[®]

The originals, these doors
complement any décor
with their simple, pleasing
lines & familiar designs



2, 3, 4 and 6 Panel
2 Panel Roman
2 Panel Arch-Top
6 Panel Prefinished

Personalize your
interior door to reflect
your unique style.



SAFE 'N SOUND[®]

DURABLE | SOLID | ECO-FRIENDLY

Bring tranquility to your home with durable,

solid core interior doors from Masonite.

Engineered to be environmentally friendly,

Safe 'n Sound Doors offer true peace of mind.

SOUND
MATTERS



6 MASONITE[®] INTERIOR DOORS



SURVEY SAYS...

When given a choice
between Safe 'N Sound[®]
or hollow core doors,

**100% OF CUSTOMERS
PREFER SAFE 'N SOUND.***

Ask your representative
how to upgrade to a
Safe 'N Sound door.

*Qualitative research conducted in 2013.



- **5-year** warranty
- Safe 'N Sound[®] doors **quiet a home** more than hollow core doors
- Offers the **durability, heft & feel of real wood**
- Solid core doors **add more resale value to a home** than standard hollow core doors
- 20-minute fire rated options with 1-3/4" thickness
- **Green at Heart:**
the core of our Safe 'N Sound door is engineered from wheat straw, an annually renewable resource






E
MASONITE
EXPO

HERITAGE® SERIES



- Combines the classic lines of wood shaker doors with the durability of moulded panel engineering
- Available in Safe 'N Sound®, see page 21 for details
- Emerald® "green" specification offered for all styles with matching bifolds, see page 21 for details





NEW
Logan™

HERITAGE®
SERIES



LINCOLN PARK™



LOGAN™




WINSLOW™



E
MASONITE
EXPO

WEST END COLLECTION®




- Modern designs complement a variety of décors
- Available in Safe 'N Sound®, see page 21 for details
- Emerald® "green" specification offered for all styles with matching bifolds, see page 21 for details





Masonite's sliding door track system is space saving, easy to install and features ball bearing rollers to allow your doors to open & close quietly.


See page 20 for our Barn Door Hardware



BERKLEY®



HAMEL™



*MELROSE®

*Not for use with double doors or 4 door bifold door applications.



E
MASONITE
EXPO

PALAZZO SERIES®



BELLAGIO®
2 arched panels



CAPRI®
2 square panels




TREVISO®
3 panel camber-top



- European style raised panels with smooth surface, ready to paint
- Engineered with Masonite's Component Construction for maximum performance
- Resists warping, shrinking and cracking



CHEYENNE®
2 panel camber-
top plank smooth



RIVERSIDE®
5 panel equal
smooth



SADDLEBROOK®
1 panel plank
smooth





- Feature lines distinguish architectural correctness of authentic stile & rail wood doors
- Available in Safe 'N Sound", see page 21 for details
- Emerald® "green" specification offered for all styles with matching bifolds, see page 21 for details

MOULDED PANEL SERIES



2 PANEL
SMOOTH ONLY



2 PANEL ROMAN
SMOOTH ONLY



2 PANEL
ARCH-TOP
SMOOTH &
TEXTURED




3 PANEL
TEXTURED ONLY



4 PANEL
SMOOTH ONLY



6 PANEL
SMOOTH &
TEXTURED



- Resists warping, shrinking and cracking
- Available in Safe 'N Sound", see page 21 for details
- Emerald® "green" specification offered with matching bifolds, see page 21 for details



COMMERCIAL DOORS

HEAVY DUTY | DURABLE | LOW MAINTENANCE



10" Bottom Rail

- Taller bottom rails & wider stiles for compatibility with commercial hardware
- Satisfies ADA requirements



FLUSH SERIES

BASIC | DURABLE | LOW MAINTENANCE



- Offers the beauty and refinement of an authentic woodgrain finish
- High-quality materials make doors easy to finish



OAK



BIRCH



HARDWOOD



PRIMED
HARDBOARD

BARN DOOR HARDWARE

TRENDY | INNOVATIVE | FUNCTIONAL



STRAIGHT STRAP
Stainless Steel



TOP OF DOOR STRAP
Stainless Steel



BENT STRAP
Matte Black



- Modern and rustic applications
- Easy install
- For use with solid core doors only

FINISH OPTIONS



Stainless Steel



Matte Black

ECO-FRIENDLY ENGINEERED DOORS

SAFE 'N SOUND® & EMERALD "GREEN" DOORS

green association & certification cross reference		safe'n sound EMERALD® SOLID CORE DOORS	hollow core		safe'n sound SOLID CORE DOORS
		Moulded Panel*	Moulded Panel*	Flush Primed Hardboard	All Designs & Species (excluding Palazzo)
		1-3/8", 1-3/4" 1-3/4" 20-minute	1-3/8" Only	1-3/8" Only	1-3/8" Only
GREEN ATTRIBUTES					
	Pre-Consumer Recycled Content	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1
	Resource Efficient Materials	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1
	Rapidly Renewable Materials	LEED NC - MR 6.0; NAHB 606.1			LEED NC - MR 6.0; NAHB 606.1
	Environmentally Preferred Products / Low Emissions Adhesives and Sealants	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2
	CARB 93120 Compliant (California Air Resources Board)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	**
	Extremely Low VOC Emissions	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	
	No Added Urea-Formaldehyde (NAUF)	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	
	FSC® Certified Wood (Forest Stewardship Council)	LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2		LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	
PERFORMANCE					
	Made with sound-reducing solid core	✓			✓
	Offers heft & feel of solid wood	✓			✓
	Ready to paint & decorate	✓	✓	✓	✓

*Not all designs are available in Emerald offering, contact Masonite for the complete product offering

**Safe 'N Sound doors which meet CARB Phase 2 are available in many areas of the country.

The above referenced certifications are based on the following versions: LEED NC - 3.0 / LEED H - 2008 / NAHB - 2008.





For technical specification information, visit www.masonite.com or contact us at 800-663-DOOR (3667).

FSC® Trademark License Code: FSC-C014860


TECHNICAL & SUPPORT INFORMATION ON GREEN.

- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED® Green Building Rating System™. For current applicable LEED® standards, visit www.usgbc.org.
- For more information on the NAHB National Green Building Program™, visit www.nahb.org.
- Evaluations of the Green Certifications are provided as a courtesy for Masonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC® and LEED® are registered trademarks of the U.S. Green Building Council.

DESIGN & SIZE OPTIONS

		PASSAGE														BIFOLDS											
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"				
MASONITE EXPO™	PALAZZO SERIES™																										
		BELLAGIO™ (2 ARCHED PANELS)																									
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		CAPRI™ (2 SQUARE PANELS)																									
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		TREVISO™ (3 PANELS)																									
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
smooth 96"		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*					
*These Palazzo bifolds are shipped as two units.																											
		PASSAGE														BIFOLDS											
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"				
MASONITE EXPO™	WEST END COLLECTION™																										
		BERKLEY™																									
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		HAMEL™																									
		smooth 80"							*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 84"							*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		MELROSE™																									
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
			PASSAGE														BIFOLDS										
			12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"			
MASONITE EXPO™	HERITAGE™ SERIES																										
		LINCOLN PARK™ (1 PANEL)																									
		Commercial 10" Bottom Rail	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
			smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
			smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
		LOGAN™ (2 PANELS)																									
		Commercial 10" Bottom Rail	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
			smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
			smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
		WINSLOW™ (3 PANELS)																									
		Commercial 10" Bottom Rail	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
			smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
		PASSAGE														BIFOLDS											
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"				
MASONITE SELECT™	CHEYENNE™																										
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		RIVERSIDE™																									
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		SADDLEBROOK™																									
		smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
		smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				

MASONITE CLASSICS™

		PASSAGE														BIFOLDS									
MOULDED PANEL SERIES		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	2 PANEL ARCH-TOP																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	textured 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	2 PANEL ROMAN SMOOTH																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 96"					•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•
	2 PANEL ROMAN SMOOTH																								
	Commercial 10" Bottom Rail smooth 80"											•	•	•	•										
	smooth 84"											•	•	•	•										
	smooth 96"																								
	2 PANEL																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	2 PANEL																								
	Commercial 10" Bottom Rail smooth 80"											•	•	•	•										
	smooth 84"											•	•	•	•										
	smooth 96"																								
	3 PANEL																								
	textured 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	4 PANEL																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	6 PANEL																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	textured 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	textured 84"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
	6 PANEL COMMERCIAL																								
	Commercial 10" Bottom Rail smooth 80"											•	•	•	•										
	smooth 84"											•	•	•	•										
	smooth 96"																								

	PASSAGE														BIFOLDS									
FLUSH SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"		
80", 84" & 96" Heights																								
HARDBOARD																								
Primed	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
VENEER																								
Oak, Birch, Hardwood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		

*Thinner outer stile will not affect functionality. Double doors and bifolds are not recommended. Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines.
Note: 48", 60" & 72" bifolds are achieved by doubled 24", 30" & 36" bifolds.

Moulded Panel Series & Masonite Select™ Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Moulded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all moulded panel designs and sizes are available in all regions as stock products. Please check for special order availability. *Moulded Panel actually measures 1'7-13/16".

BROUGHT TO YOU BY:



safeⁿsound
SOLID CORE DOORS

**100% OF
CUSTOMERS PREFER
SAFE 'N SOUND.***

*Qualitative research conducted in 2013.

See inside for more details.

TORONTO, ON

390 Chrysler Drive
Brampton, ON L6S 5Z5
P: 905.792.1144
F: 905.792.8306

HALIFAX, NS

200 Akerley Blvd
Dartmouth, NS B3B 1Z9
P: 902.468.9292
F: 902.468.3268

VANCOUVER, BC

19950 - 101 Ave
Langley, BC V1M 3G6
P: 604.882.5500
F: 604.888.5242

MONTREAL, QC

8801 Boul, Henri-Bourassa Est
Montreal, QC H1E 1P4
P: 514.955.3290
F: 514.955.4855

CALGARY, AB

Unit 45, 5805 - 76 Avenue SE
Calgary, AB T2C 5L8
P: 403.543.3260
F: 403.236.9178

SASKATOON, SK


814 - 48th Street
Saskatoon, SK S7K 3Y4
P: 306.931.3066
F: 306.931.2397

WINNIPEG, MB

989 C. Keewatin Street
Winnipeg, MB R2X 2X4
P: 204.632.7544
F: 204.632.7543

EDMONTON, AB

18150 - 109 Ave NW
Edmonton, AB T5S 2K2
P: 780.454.9681
F: 780.452.886



Ask your
representative how
to upgrade to a
Safe 'N Sound door.



Masonite®, "Masonite, The Beautiful Door.™", Max®, Safe 'N Sound®, Emerald®, Bellagio®, Berkley®, Capri®, Cheyenne®, Hamel®, Heritage®, Lincoln Park™, Logan®, Melrose®, Palazzo Series®, Palazzo®, Riverside®, Saddlebrook®, Treviso®, West End Collection® and Winslow™ are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.

1/16 PRINTED IN THE CANADA
© 2016 Masonite International Corporation

MAM-16301

 **Masonite**
the beautiful door™

Masonite Helpline:
1-800-663-DOOR (1-800-663-3667)
9 a.m. to 5 p.m.
Monday through Friday, EST

www.masonite.ca